

1/38




FIG. 1A

2/38




FIG. 1B

3/38




FIG. 2A




FIG. 2B




FIG. 2C




FIG. 2D




FIG. 2E

4/38




FIG. 3A




FIG. 3B




FIG. 3C




FIG. 3D




FIG. 3E

5/38




FIG. 4A




FIG. 4B




FIG. 4C




FIG. 4D

6/38




FIG. 5A




FIG. 5B




FIG. 5C




FIG. 5D









FIG. 5E

7/38



8/38




FIG. 7A




FIG. 7B




FIG. 7C




FIG. 7D




FIG. 7E



9/38




FIG. 8A




FIG. 8B




FIG. 8C




FIG. 8D




FIG. 8E

10/38






FIG. 9

11/38



12/38




FIG. 9C




FIG. 9D

13/38




FIG. 9E




FIG. 9F

14/38




FIG. 10A




FIG. 10B

15/38




FIG. 10C




FIG. 10D

16/38




FIG. 10E



17/38




FIG. 11A




FIG. 11B

18/38




FIG. 11C




FIG. 11D

19/38




FIG. 11E




FIG. 11F

20/38




FIG. 11G

21/38




FIG. 11H




FIG. 11J

22/38




FIG. 12A




FIG. 12B

23/38




FIG. 12C




FIG. 12D

24/38




FIG. 12E




FIG. 12F



25/38




FIG. 12G




FIG. 12H

26/38




FIG. 12I




FIG. 12J

27/38




FIG. 12K




FIG. 12L

28/38




FIG. 12M




FIG. 12N

29/38




FIG. 120

30/38




FIG. 12P




FIG. 12Q

31/38





FIG. 13A

32/38





33/38




FIG. 13C

34/38




FIG. 13D

35/38




FIG. 13E

36/38

LabCD GLUCOSE NOT CORRECTED FOR HEMOGLOBIN




FIG. 14A

LabCD GLUCOSE CORRECTED FOR HEMOGLOBIN





FIG. 14B

FIG. 15



38/38




FIG. 16